

NAME

paster - simple paste service client

SYNOPSIS

paster [-LDvx] [-a *author*] [-l *language*] [-d *duration*] [-t *title*] *filename host*

DESCRIPTION

The **paster** tool is the convenient brother to **pasterd**, it will paste some content into an instance.

The *filename* argument can points to a file whose content will be pasted, if it is set to "-" then standard input is read instead.

The *host* argument is a URL where a **pasterd** instance is running.

Available options:

-L List all supported languages.

-D List all supported durations.

-v Be more verbose.

-x Store the paste as private.

-a *author*

Sets the author, defaults to "Anonymous".

-l *language*

Sets the code snippet language, defaults to "nohighlight".

-d *duration*

Sets the paste lifetime, defaults to "month".

-t *title* Sets a title to the paste, defaults to "Untitled".

EXAMPLES

Paste the main.sh script shell with a title and an author.

```
paster -t "Some shell script" -a Francis -l shell main.sh http://example.org
```

Read standard input and paste it.

```
grep error logs.txt | paster - http://example.org
```

Paste a non-listed file with a short duration.

```
paste -x -d hour private.txt http://example.org
```

AUTHORS

paster was written by David Demelier <markand@malikania.fr>

SEE ALSO

pasterd(8)